# Until that far-off time when electronic circuits are perfect, you'll need to include variable resistors in your designs.




During each of the next 12 months. Bourns and EDN will bring you easy-to-read excerpts from our popular "Trimmer Primer" series. For many of you, the Trimmer ABC Program will be a refresher course; for others, perhaps newer to the electronic design field, it will include information on analog components you can really use.

If you wish to participate fully in the program, we will send you a 3-ring binder with index tabs to house your information, technical articles and white papers. See the reverse side for ordering information.


### THE BASICS

A TRIMMING POTENTIOMETER (AKA TRIMMER) IS MOST OFTEN INCLUDED IN A CIRCUIT FOR EASY "TWEAKING" - TO CORRECT FOR VARIATIONS IN OTHER CIRCUIT COMPONENTS, OR FOR CHANGES DUE TO AGING.

IT'S DESIGNED SO YOU CAN VARY IT'S RESISTANCE, OR USE IT AS A VOLTAGE DIVIDER FOR ADJUSTING VOLTAGE.



ADJUSTMENT FOR CIRCUIT VOLTAGES - (VOLTAGE DIVIDER MODE)




| ENGINEERS WITH                                | TYPE OF CIRCUIT   | EXAMPLES OF USE   |
|---|-------------------|---|
| IMAGINATION HAVE USED TRIMMERS TO             | POWER SUPPLIES    | OUTPUT VOLTAGE ADJUSTMENT     CURRENT LIMIT ADJUSTMENT  |
| SOLVE INNUMERABLE<br>DESIGN PROBLEMS.         | OP AMP            | OFFSET ADJUSTMENT     GAIN ADJUSTMENT   |
| HERE ARE A FEW EXAMPLES THAT SUGGEST THE WIDE | DIGITAL CIRCUITS* | TIME DELAY IN A MONOSTABLE ADJUSTMENT OF OFFSET ERRORS IN PHOTOCELL CIRCUIT   |
| RANGE OF POSSI-<br>BILITIES:                  | INSTRUMENTS       | CALIBRATION OF DIGITAL VOLT METERS     ADJUSTMENT OF TRIGGER, TIMING AND     OTHER CIRCUITS IN GENERATORS AND     OSCILLOSCOPES |


<sup>\*</sup> YES. TRIMMERS CAN BE USED IN DIGITAL CIRCUITS!

90% OF ALL CIRCUITS USING TRIMMING POTENTIOMETERS BOIL DOWN TO ABOUT TWO DOZEN BASIC TYPES, SUCH AS:

| I. AMPLIFIER            | II. TIMER/OSCILLATOR | III. REGULATOR | IV. CONVERSION |
|-------------------------|----------------------|----------------|----------------|
| A. AUDIO                | A. ONE SHOT          | A. VOLTAGE     | D/A, A/D       |
| B. RF<br>C. OPERATIONAL | B. FREE RUNNING      | B. CURRENT     | V/F, F/V       |



# Here's How to Participate:





# TYPES OF TRIMMERS

#### TRIMMERS CONSIST OF:

- 1. A RESISTIVE ELEMENT
- 2. TWO END TERMINALS
- 3. A MOVEABLE CONTACT (WIPER)
- 4. A CONTACT ACTUATOR (SHAFT, ADJUSTMENT SCREW OR ROTOR)











#### 3. SINGLE-TURN




#### 4. SURFACE MOUNT




#### CENTER TAP

CENTER TAP DIVIDES THE POTENTIOMETER INTO TWO SEPARATE, INDEPENDENT UNITS. ESPECIALLY USEFUL IN OP-AMP APPLICATIONS.



# Here's How to Participate:

Starting in May 1998, EDN will publish excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:




# SINGLE-TURN OR MULTITURN TRIMMERS?




|   | SINGLE-TURN | MULTITURN |
|---|-------------|-----------|
| SETTING ACCURACY                        |             | V         |
| SPEED ADJUSTING:<br>TO ACCURATE SETTING |             | <b>✓</b>  |
| TO APPROXIMATE SETTING                  | <b>✓</b>    |           |

SETTABILITY – SINGLE-TURN VS. MULTITURN —
TECHNICIANS OR PRODUCTION WORKERS TYPICALLY ADJUST A MULTITURN
TO A DESIRED SETTING FASTER THAN A SINGLE-TURN.

MULTITURN SETTABILITY




SINGLE-TURN SETTABILITY



APPLICATIONS THAT USUALLY FAVOR THE COST-EFFECTIVE USE OF MULTITURN TRIMMERS:

- OP AMP ZERO ADJUST THE MULTITURN ADVANTAGE OVER SINGLE-TURNS IN THE APPLICATION IS A SHORTER ADJUSTMENT TIME TO AN ACCURATE SETTING.
- 2. VOLTAGE REGULATOR ADJUST SINGLE-TURN TRIMMERS USED IN THIS APPLICATION REQUIRE TWO FIXED RESISTORS. THE EXTENDED RANGE FEATURE OF A MULTITURN PROVIDES VOLTAGE DROPPING AND FINE ADJUST IN ONE UNIT.




MULTITURN TRIMMERS SAVE VALUABLE BOARD SPACE AND CUT COMPONENT INSTALLATION COSTS.

3. OSCILLATOR FREQUENCY ADJUSTMENT – MULTITURNS GIVE ACCURATE ADJUSTMENT, QUICKLY – EVEN WHEN DONE BY AN INEXPERIENCED OPERATOR.

NOTE: MULTITURNS AREN'T ALWAYS THE ANSWER. APPLICATIONS SUCH AS DATA-INPUT FOR DIGITAL EQUIPMENT, WHERE THE LEVEL OF ACCURACY IS NOT CRITICAL, ARE PERFECT FOR SINGLE-TURN TRIMMERS.

# Here's How to Participate:

Starting in May 1998, EDN will publish excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:




# CERMET VS. WIREWOUND TRIMMERS

Into in Any Catalog! THE RESISTIVE ELEMENT OF A TRIMMER MAY BE MADE OF A NUMBER OF MATERIALS. THE TWO MOST COMMON ARE A CERAMIC (CONDUCTIVE GLASS)/METALLIC OXIDE COMBINATION CALLED "CERMET," AND WIREWOUND ON A COPPER MANDREL. (CARBON, ONCE WIDELY USED, IS LEAST COMMON FOR INDUSTRIAL APPLICATIONS.)

#### CERMET ELEMENTS (LINEAR WIPER PATH)

HIGH RESOLUTION (SMALL INCREMENTAL CHANGES IN OUTPUT WITH WIPER TRAVEL)

LOW TERMINATION RESISTANCE



#### WIREWOUND ELEMENTS (CIRCULAR WIPER PATH)

LONG CYCLING LIFE (WEAR)

CONFORMITY OVER LIFE; I.E., OUTPUT VS. WIPER POSITION

LOW EQUIVALENT NOISE RESISTANCE

CERMET AND WIREWOUND ELEMENTS ARE PACKAGED IN RECTANGULAR, SQUARE AND ROUND CASES OR HOUSINGS.


WHICH ONE IS BETTER?

THE CHOICE BETWEEN CERMET AND WIREWOUND DEPENDS ON YOUR PARTICULAR REQUIREMENTS. THE CHECK MARK SHOWS WHICH ONE PERFORMS BETTER IN EACH CHARACTERISTIC.

|  | CERMET                      | WIREWOUND                    |
|--|-----------------------------|------------------------------|
| RESISTANCE RANGE                         | $10\Omega$ - $5$ M $\Omega$ | $10\Omega$ - $50$ K $\Omega$ |
| LOW TEMPERATURE COEFFICIENT              |                             | ✓ (                          |
| HIGH POWER DISSIPATION                   |                             | <b> </b>                     |
| TIGHT RESISTANCE TOLERANCE               |                             | / /                          |
| RESISTANCE STABILITY                     |                             | /                            |
| SETTING ACCURACY                         | ✓.                          |                              |
| LOW REACTANCE IN HIGH FREQUENCY CIRCUITS | ✓                           | ]                            |
| LOWER COST                               | ✓                           |                              |
| SMALLER SIZES                            | ✓                           | }                            |
| NOISE (DURING ADJUSTMENT)                | # .                         | /                            |

#### HOW TO SELECT THE RIGHT TRIMMER

CONSIDER THE FOLLOWING APPLICATION AND SELECTION FACTORS FOR THE BEST COST/PERFORMANCE CIRCUIT DESIGN:



- 1. ELECTRICAL PARAMETERS -
  - A. CIRCUIT INTERFACE RESISTANCE VS. TRIMMER RESISTANCE
  - B. CIRCUIT GAIN AND SENSITIVITY VS. TRIMMER RESOLUTION AND ADJUSTABILITY
  - C. CIRCUIT VOLTAGE/CURRENT VS. TRIMMER POWER RATING
  - D. NOISE TOLERANCE LIMIT VS. TRIMMER NOISE SPECIFICATION AND LOCATION IN CIRCUIT

ELECTRICAL ABUSE AND MISUSE OF TRIMMERS ARE COMMON. CONTACTING A BOURNS ENGINEER AT THE START OF A CIRCUIT DESIGN CAN HELP REDUCE POTENTIAL PROBLEMS.



- 2. MECHANICAL REQUIREMENTS ANSWER THESE QUESTIONS:
  - A. WHAT CASE STYLE AND PIN CONFIGURATIONS ARE NEEDED?
  - B. TOP OR SIDE ADJUSTMENT?
  - C. IS A CUSTOM UNIT REQUIRED?
- 3. THE ENVIRONMENT BE SURE THE TRIMMER'S TEMPERATURE COEFFICIENT AND OPERATING TEMPERATURE MATCH THE ENVIRONMENT OF YOUR SYSTEM.

# Here's How to Participate:

Starting in May 1998, EDN will publish excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

# HOW TO SELECT THE RIGHT TRIMMER

(Continued from previous issue)




BE CONTRACTOR BE

IF THE CIRCUIT BOARD WILL BE WASHED, CHECK OUT THE

SEALING DESIGN AND INTEGRITY OF THE TRIMMER. PROPER TRIMMER SEALING IS A MUST IN A HUMID OR DIRTY OPERATING ENVIRONMENT.

MANY UNITS INCORPORATE SELF-SEALING CHEVRONS OR "O-RINGS" TO HELP PRO-TECT AGAINST HUMIDITY AND BOARDWASHING.




EXCESS VIBRATION AND SHOCK CAN DAMAGE A TRIMMER. SO MAKE SURE THE CONSTRUCTION CAN HANDLE ANY UNIQUE REQUIREMENTS.

- DON'T FORGET HUMAN INTERFACE!
  - A. THE ADJUSTMENT SCREW MUST BE IN AN ACCESSIBLE LOCATION ON THE CIRCUIT BOARD.
  - B. SELECT THE TRIMMER BEST SUITED TO THE OPERATOR'S SKILL AND ADJUSTMENT TIME REQUIREMENTS. REMEMBER, NOT EVERYONE CAN MAKE FINE ADJUSTMENTS QUICKLY.


MULTITURN TRIMMERS CAN GIVE A FASTER SETTING.

 RELIABILITY – BE SURE TO SPEC TRIMMERS WITH SECURE RESISTIVE ELEMENT TERMINATIONS.




# MAKING YOUR BOSS SMILE: SELECTING A TRIMMER THAT SAVES MONEY.

- OPEN FRAME YOU CAN SAVE MONEY BY BUYING AN OPEN-FRAME TRIMMER INSTEAD OF A SEALED ONE. BUT BEWARE IF THE BOARD MUST BE WASHED, OPEN-FRAME UNITS MAY BECOME CONTAMINATED WITH RESIDUE, CREATING AN EXCESSIVE NUMBER OF BOARDS REJECTED AT FINAL INSPECTION OR WHILE IN USE BY YOUR CUSTOMER. A LOW-COST SEALED UNIT MAY BE A LESS EXPENSIVE CHOICE IN THE LONG RUN.
- CONSERVING PC BOARD REAL ESTATE CONSIDER USING A TRIMMER THAT SITS ON EDGE INSTEAD OF FLAT ON THE BOARD.



# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:



# TRIMMERS FOR SPECIAL REQUIREMENTS




HERE ARE A FEW HANDY TIPS ON SPECIAL APPLICATIONS.


OP-AMP ADJUSTMENT -


A CENTER TAP TRIMMER CAN ISOLATE BOTH OP-AMP POWER SUPPLIES TO REDUCE THE NEGATIVE EFFECT OF DRIFT. THIS RESULTS IN A 10X IMPROVEMENT IN VOLTAGE EFFECT ERROR CAUSED BY POWER SUPPLY DRIFT.

SCHEMATIC OF CENTER TAP TRIMMING POTENTIOMETER




SUGGESTED OFFSET VOLTAGE ADJUSTMENTS:





COARSE/FINE ADJUSTMENT –
TWO TRIMMERS INSTEAD OF ONE CAN PROVIDE AN ADJUSTMENT THAT'S
QUICK, EASY AND ACCURATE FOR THE USER.


TWO SINGLE-TURN
TRIMMERS IN SERIES



NON-LINEAR -


THE CHANGE IN RESISTANCE FOR A GIVEN CHANGE IN WIPER POSITION IS TYPICALLY USED IN A LINEAR MODE. SPECIAL TRIMMERS CAN BE SUPPLIED THAT PROVIDE LOG-ARITHMIC AND OTHER NON-COMPLEX TAPERS. CONSULT THE SUPPLIER FOR ASSISTANCE...

OR, ADD A FIXED RESISTOR BETWEEN THE CENTER TAP AND ONE END OF A CENTER-TAPPED DEVICE TO MAKE YOUR OWN CUSTOM TAPER.



# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:



# **VOLTAGE DIVIDER AND RHEOSTAT MODES**

LET'S LOOK AT THE BASIC OPERATING MODES OF A TRIMMER ONE MORE TIME.




- THE VOLTAGE DIVIDER MODE, FROM WHICH THE DEVICE GOT ITS NAME. 1.
- THE RHEOSTAT MODE. WHERE THE UNIT IS USED AS A VARIABLE RESISTOR TO 2. CONTROL THE FLOW OF CURRENT IN A CIRCUIT.

IN THE **VOLTAGE DIVIDER MODE**, THE POTENTIOMETER IS CONNECTED AS A THREE-TERMINAL DEVICE, SHOWN IN FIGURE 1. HERE THE POTENTIOMETER IS USED TO PROVIDE AN ADJUSTABLE OUTPUT VOLTAGE (Ea) THAT IS A FRACTIONAL VALUE OF SOME INPUT VOLTAGE (E;).

**VOLTAGE DIVIDER MODE** FOR THE CALCULATION EXAMPLE BELOW, WE'LL CALL FIGURE 1 THE PORTION OF THE ELEMENT ABOVE THE WIPER CONTACT R1. WE'LL CALL R2 THE PART BELOW THE WIPER CONTACT. THIS WAY WE CAN TREAT THE DEVICE AS A SIMPLE FIXED VOLTAGE DIVIDER.

USING OHM'S LAW, FOR ANY GIVEN WIPER SETTING, WE CAN DETERMINE THAT THE OUTPUT VOLTAGE  $(E_0)$  IS RELATED TO THE INPUT VOLTAGE  $(E_i)$  BY THE RELATIONSHIP:




THIS RELATIONSHIP IS, OF COURSE, EXACT ONLY UNDER IDEAL CONDITIONS. FOR INSTANCE, IF WE ADD A LOAD RESISTANCE FROM THE WIPER TERMINAL TO GROUND, THE ABOVE EQUATION WOULD HAVE TO BE MODIFIED TO REFLECT THE CHANGE.

E,

HOWEVER, FOR PRACTICAL PURPOSES, IF WE KEEP THE LOAD RESISTANCE FAIRLY HIGH (SAY AT LEAST 10 TIMES THE TOTAL POTENTIOMETER RESISTANCE). WE CAN IGNORE THE EFFECT OF

THE LOAD RESISTANCE FOR MOST TRIMMER APPLICATIONS.

AS THE WIPER CONTACT IN FIGURE 1 IS MOVED, THE VALUES OF BOTH R1 AND R2 CHANGE, PRODUCING A CHANGE IN OUTPUT VOLTAGE (Ea) THAT IS DIRECTLY PROPORTIONAL TO THE WIPER POSITION (FIGURE 2).



FOR SPECIAL APPLICATIONS (I.E., AUDIO VOLUME CONTROLS), SOME POTENTIOMETERS ARE DESIGNED TO PRODUCE AN OUTPUT THAT IS NOT LINEAR. TRIMMERS, ON THE OTHER HAND, ARE SELDOM USED IN THESE TYPES OF APPLICATIONS. THEY ARE USUALLY DESIGNED TO PRODUCE THE NOMINALLY LINEAR OUTPUT SHOWN IN FIGURE 2.


IN THE <u>RHEOSTAT MODE</u>, THE TRIMMER IS CONNECTED AS A TWO-TERMINAL DEVICE, AS SHOWN IN FIGURES 3a AND 3b. IN THIS MODE OF OPERATION, WHICH ACCOUNTS FOR OVER HALF OF ALL TRIMMER APPLICATIONS, THE POTENTIOMETER IS USED SIMPLY AS A VARIABLE RESISTOR TO CONTROL THE FLOW OF CURRENT IN A SERIES OF CIRCUIT.



FIGURE 3 - RHEOSTAT MODE

IN THE RHEOSTAT MODE, THERE IS NO BASIC INPUT-OUTPUT RELATIONSHIP, EXCEPT AS DEFINED BY THE ASSOCIATED CIRCUITRY IN WHICH THE TRIMMER IS BEING USED.


FOR EXAMPLE, IN FIGURE 4, WE CAN SEE THAT AS THE WIPER CONTACT IS MOVED IN THE CW DIRECTION, AN INCREASING PORTION OF THE RESISTANCE ELEMENT IS SHORTED OUT BY THE JUMPER CONNECTION BETWEEN TERMINALS 1 AND 2. THIS REDUCES THE TOTAL RESISTANCE OF THE TRIMMER AND ALLOWS AN INCREASE IN THE FLOW OF CURRENT ( $I_1$ ) TO THE LOAD ( $R_1$ ).



THIS MEANS THAT VIRTUALLY ALL OF THE LOAD CURRENT PASSES THROUGH THE WIPER CONTACT. AND YOU MUST REMEMBER THAT IN THE RHEOSTAT MODE OF OPERATION, THE MAXIMUM CURRENT IN THE CIRCUIT IS LIMITED ONLY BY THE SOURCE VOLTAGE AND LOAD RESISTANCE AS THE WIPER IS ADJUSTED TO THE POSITION OF MINIMUM RESISTANCE.

# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:




# LINEARITY, ADJUSTABILITY AND RESOLUTION




AS WE MENTIONED EARLIER, TRIMMERS ARE NORMALLY DESIGNED TO PRODUCE A LINEAR OUTPUT. HOWEVER, AS YOU MAY HAVE ALREADY SURMISED FROM WORKING WITH OTHER ELECTRICAL COMPONENTS. THEY'RE NOT EXACTLY PERFECT.

THE CHANGE IN OUTPUT AS A FUNCTION OF WIPER TRAVEL CAN DEVIATE FROM THE OPTIMUM AS ILLUSTRATED IN FIGURE 5a. HOWEVER, OVERALL LINEARITY IS USUALLY NO PROBLEM IN MOST TRIMMER APPLICATIONS, AND IS NEVER SPECIFIED.

ON THE OTHER HAND, IF WE MAGNIFY THE OUTPUT CURVE (FIGURE 5b), YOU CAN SEE THAT WHAT APPEARED TO BE A SMOOTH STRAIGHT LINE IS REALLY A SERIES OF VERY SMALL IRREGULARITIES. SOMETIMES WE REFER TO THEM AS "MICRO-NONLINEARITIES." MOST DESIGNERS USUALLY JUST CALL THEM "NOISE".



MORE OFTEN THAN NOT, THIS NOISE IS CAUSED BY SMALL IMPERFECTIONS IN THE COMPOSITION OF THE RESISTANCE ELEMENT AND CHANGES IN THE ELECTRICAL CURRENT PATH AS THE WIPER TRAVELS OVER THE ELEMENT.



AS SMALL AS THEY ARE, THEY'RE IMPORTANT IN TRIMMER APPLICATIONS BECAUSE THEY EFFECTIVELY LIMIT THE ADJUSTABILITY (RESOLUTION) AND STABILITY OF THE UNIT.

MOST SINGLE-TURN TRIMMERS CAN BE SET TO WITHIN 0.05% OF THE TOTAL APPLIED VOLTAGE (VOLTAGE DIVIDER MODE) OR 0.15% OF TOTAL RESISTANCE (RHEOSTAT MODE). HOWEVER, FOR SOME APPLICATIONS, THAT'S NOT GOOD ENOUGH. SO THERE ARE TWO WAYS YOU CAN GET AROUND IT.


- 1. USE A MULTITURN UNIT TO GIVE BETTER ADJUSTABILITY.
- 2. USE ADDITIONAL FIXED RESISTORS AS PART OF THE ADJUSTMENT NETWORK TO YIELD THE DESIRED FINE ADJUSTMENT CHARACTERISTICS.

ADDING RESISTANCE IN SERIES WITH THE TRIMMER WILL REDUCE THE OVER-ALL ADJUSTMENT RANGE OF THE CIRCUIT, BUT WILL ALLOW FINER TUNING.

# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

# END ZONE CHARACTERISTICS



Info in Any Catalog POTENTIOMETERS NORMALLY HAVE A SMALL REGION AT THE EXTREME ENDS OF THE ADJUSTMENT RANGE WHERE THE OUTPUT IS IRREGULAR. THIS CAN BE SEEN WHEN THERE'S A SUDDEN DROP TO ESSENTIALLY ZERO RESISTANCE. OR THE CHANGE IN OUTPUT WILL STOP AT SOME SMALL RESIDUAL VALUE OF RESISTANCE, DEPENDING ON THE DESIGN OF THE TRIMMER.

ALTHOUGH THIS LINSTABLE REGION IS USUALLY LESS THAN 1 OR 2% OF THE TOTAL RANGE OF ADJUSTMENT, IT'S IMPORTANT THAT YOU REMEMBER TO MAKE ALLOWANCES FOR AVOIDING IT IN YOUR CIRCUIT APPLICATIONS.

### POWER AND CURRENT RATINGS

THE POWER RATINGS OF TRIMMING POTENTIOMETERS ARE USUALLY MORE THAN ADEQUATE FOR MOST VOLTAGE DIVIDER APPLICATIONS WHERE THE POWER IS DISSIPATED EVENLY OVER THE ENTIRE LENGTH OF THE ELEMENT UNDER ALL CIRCUMSTANCES.


KEEP IN MIND. HOWEVER, THAT THE STATED POWER RATING IS FOR THE ENTIRE RESISTANCE ELEMENT. UNUSUALLY LOW VALUES OF LOAD RESISTANCE CAN CAUSE UNEXPECTED HIGH LEVELS OF POWER DISSIPATION IN THE UNLOADED PORTION OF THE ELEMENT WHEN THE WIPER IS SET AT HIGH VALUES OF VOLTAGE RATIO.

FORTUNATELY, POWER DISSIPATION AND WIPER CURRENT USUALLY ONLY BECOME PROBLEMS WHEN TRIMMERS ARE USED IN THE RHEOSTAT MODE. LIKE WE SAID EARLIER. IN THIS MODE THE CURRENT THROUGH THE TRIMMER ELEMENT AND THE WIPER CONTACT IS LIMITED ONLY BY EXTERNAL CIRCUIT CONDITIONS.

THIS IS WHERE YOU AS A DESIGNER MUST MAKE SURE YOU LIMIT THE WIPER CURRENT TO THE MAXIMUM VALUE STATED IN THE TRIMMER SPECS. IF YOU DON'T - ZAP!!!

EXCEEDING THE MAXIMUM WIPER CURRENT HAS CAUSED MORE TRIMMER PROB-LEMS THAN ANY OTHER DESIGN ERROR.

IF THE MAXIMUM WIPER CURRENT SPEC ISN'T AVAILABLE, YOU CAN SAFELY ASSUME THAT IT IS THE CURRENT THAT WOULD PRODUCE MAXIMUM POWER DISSIPATION IN THE TRIMMER, IF APPLIED THROUGH THE ELEMENT <u>ONLY</u>, PROVIDED IT DOESN'T EXCEED 100 MILLIAMPS.



CAUTION! THIS CAN BECOME A DIRECT <u>SHORT</u> – AND THEN



(SEE CURRENT LIMITS IN TABLE 1)

THE TABLE BELOW SHOWS THE <u>MAXIMUM</u> WIPER CURRENT FOR DECADE RESISTANCE VALUES FOR SEVERAL TRIMMER POWER RATINGS. THE 100 MILLIAMP MAXIMUM WIPER CURRENT RATING (#) IS APPLICABLE ONLY ON TRIMMER VALUES OF LESS THAN 100 OHMS.

TABLE 1 - MAXIMUM WIPER CURRENT VERSUS POWER RATINGS.

| Trimmer Resistance | 0.25 Watt | 0.5 Watt | 1.0 Watt |
|--------------------|-----------|----------|----------|
| 10 OHMS            | 100 MA#   | 100 MA#  | 100 MA#  |
| 100 OHMS           | 50 MA     | 71 MA    | 100 MA   |
| 1K OHMS            | 16 MA     | 22 MA    | 32 MA    |
| 10K OHMS           | 5.0 MA    | 7.1 MA   | 10 MA    |
| 100K 0HMS          | 1.6 MA    | 2.2 MA   | 3.2 MA   |
| 1M 0HMS            | 0.5 MA    | 0.7 MA   | 1.0 MA   |

# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

# RESISTANCE VALUES AND TOLERANCES

Into in Any Catalog! WHILE IT'S ALWAYS EASIER TO WORK WITH STANDARD PARTS INVENTORIES, YOU STILL HAVE TO KEEP IN MIND THAT TO REACH OPTIMUM STABILITY AND ADJUSTABILITY, YOU NEED TO USE THE SMALLEST VALUE OF TRIMMER RESISTANCE YOUR APPLICATION ALLOWS.

HERE'S ANOTHER TIDBIT. WHEN YOU'RE WORKING IN CRITICAL APPLICATIONS, TRY TO AVOID THE EXTREMES OF RESISTANCE RANGE WHEN YOU'RE SELECT-ING A TRIMMER. ALTHOUGH THE ENTIRE RANGE WILL MEET THE STATED SPECIFICATIONS, MID-RANGE VALUES TEND TO PERFORM BETTER THAN LOW AND HIGH VALUES.

# DRY CIRCUIT CONDITIONS


AS FAR AS POTENTIOMETERS GO, DRY CIRCUIT CONDITIONS RESULT FROM EXTREMELY LOW VALUES OF WIPER CURRENT. PAST STUDIES SHOW THAT UNDER EXTENDED TIME AND TEMPERATURE CONDITIONS, OXIDE FILMS CAN FORM AT THE JUNCTION OF METALLIC ELECTRICAL CONTACTS. SIMILAR TO THE POINT OF CONTACT BE-TWEEN MECHANICAL SWITCHING ELEMENTS. USUALLY THIS DOESN'T CAUSE A PROBLEM IN TRIMMER APPLICATIONS, SINCE NORMAL OPERATING CURRENT LEVELS PRODUCE ENOUGH "PUNCH THROUGH" VOLTAGE AT THE WIPER JUNCTION TO BREAK DOWN OXIDE OR CONTAMINANT FILMS.

BUT WITH THE TREND TOWARD LOWER LEVELS OF CURRENT OPERATION, DRY CIRCUIT CONDITIONS CAN LEAD TO SOME DEGRADATION IN PERFORMANCE – ESPECIALLY IN THE AREA OF LONG-TERM STABILITY.

EXTENSIVE TESTING HAS BEEN CONDUCTED TO BETTER DEFINE DRY CIRCUIT CONDITIONS FOR NON-METALLIC JUNCTIONS IN COMPOSITION POTENTIOMETERS. WE RECOMMEND THAT YOU PROVIDE A LOW ENOUGH LOAD RESISTANCE ACROSS THE WIPER OF THE POTENTIOMETER TO ENSURE AN ABSOLUTE MINIMUM WIPER CURRENT OF 25 MICROAMPS AND PREFERABLY OVER 100 MICROAMPS. THIS SHOULD GIVE YOU ENOUGH CURRENT THROUGH THE WIPER TO HELP YOU AVOID DRY CIRCUIT PROBLEMS OVER EXTENDED PERIODS OF TIME AND TEMPERATURE.

# Here's How to Participate:


Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:



# MORE CIRCUIT APPLICATIONS

Into in Any Catalog! LETS TAKE A LOOK AT A FEW OF THE MORE POPULAR ACTUAL CIRCUIT APPLICATIONS THAT USE TRIMMERS. WE'LL SHOW YOU HOW TO IMPROVE CIRCUIT PERFORMANCE WITH PROPER SELECTION AND USE OF THE TRIMMERS.

ONE OF THE MOST COMMON TRIMMER POTENTIOMETER APPLICATIONS TODAY IS THE ADJUSTMENT OF OFFSET VOLTAGE IN OPERATIONAL AMPLIFIERS. FIGURE 6.



IN SOME CASES IT IS IMPOSSIBLE OR UNDESIRABLE TO TRIM INPUT OFFSET. VOLTAGE USING MANUFACTURER-PROVIDED TERMINALS AS SHOWN ABOVE. OTHER EXTERNAL CIRCUITS HAVE BEEN DEVELOPED TO COMPENSATE FOR THE OP-AMP OFFSET ADJUST TERMINALS.

THE OFFSET VOLTAGE MAY EITHER BE POSITIVE OR NEGATIVE WITH RESPECT TO THE GROUND, SO THE COMPENSATING VOLTAGE PROVIDED BY THE TRIMMING NETWORK MUST ALSO BE ADJUSTABLE OVER A POSITIVE TO NEGATIVE RANGE THAT IS GREAT ENOUGH TO INCLUDE THE HIGHEST AND LOWEST OFFSET VOLTAGE THAT MAY BE ENCOUNTERED. USE OF A CENTER

TAPPED ELEMENT REDUCES POWER SUPPLY SENSITIVITY BY ISOLATING THE SUPPLIES, MINIMIZING THE EFFECTS OF SUPPLY DRIFT ON THE OFFSET ADJUSTMENT VOLTAGE.

SINCE YOU MAY ALSO REDUCE THE NUMBER OF COMPONENTS IN THE NETWORK BY EMPLOYING A CENTER TAPPED ELEMENT, YOU WILL ALSO SEE IMPROVEMENTS IN THE THERMAL STABILITY OF THE OFFSET VOLTAGE PERFORMANCE OF YOUR SYSTEM.

MOST OF THE PROBLEMS YOU HAVE IN THIS APPLICATION ARE USUALLY DUE TO THERMOELECTRIC EFFECTS. SMALL VOLTAGES ARE GENERATED AT THE ELEMENT TERMINATION POINTS AND AT THE TRIMMER-TO-CIRCUIT-BOARD INTERFACE. THIS IS DUE TO THE DISSIMILAR METALS USED IN THE MANUFACTURING PROCESS.

# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

- 1.241 Abo has nom • FAX (909) 781-6273 (North America) +41 -11 7685510 (Europe) or the Socials Web Site, www.bourns.com

# MORE CIRCUIT APPLICATIONS (Cont'd from previous issue)




IF THE TRIMMER IS AT THE SAME TEMPERATURE,
THESE VOLTAGES WILL BALANCE OUT AND HAVE NO NET EFFECT ON CIRCUIT
OPERATION. HOWEVER, IF THERE'S A THERMAL GRADIENT ACROSS THE
TERMINALS OF THE TRIMMER, ENOUGH DIFFERENTIAL VOLTAGE MAY BE
GENERATED TO DISTURB THE BALANCE OF YOUR CIRCUIT. THE EMF
GENERATED WILL DEPEND ON THE MAGNITUDE OF THE TEMPERATURE
GRADIENT AND THE MATERIALS USED IN THE TRIMMER AND CIRCUIT BOARD.
UNDER EXTREME CONDITIONS, THE THERMAL EMF CAN BE AS HIGH AS 100
MICROYOLTS.


YOU CAN'T ELIMINATE THE THERMAL EMF PROBLEM ENTIRELY. BUT YOU CAN MINIMIZE IT. TRY TO KEEP THE OP AMP AND THE TRIMMER OUT OF ENVIRONMENTS THAT HAVE HIGH THERMAL GRADIENTS. AVOID PLACING THE TRIMMER NEAR HOT COMPONENTS.


DRY CIRCUIT CONDITIONS CAN ALSO BE A PROBLEM IN THIS APPLICATION, PARTICULARLY WHEN THE TRIMMER IS USED FOR INTERNAL OFFSET TRIM AS SHOWN IN THE PREVIOUS ISSUE'S FIGURES 6(a) AND 6(b). ALWAYS SELECT THE LOWEST VALUE OF TRIM NETWORK RESISTANCE COMPATIBLE WITH THE OP AMP MANUFACTURER'S RECOMMENDATIONS, REMEMBERING THAT GOING TOO LOW WILL GOBBLE UP THE OP AMP'S OFFSET THERMAL DRIFT CHARACTERISTICS.


IN EXTERNAL OFFSET TRIM CIRCUITS AS SHOWN IN THE PREVIOUS ISSUE'S FIGURE 6(c), TRY TO KEEP  $R_T$ ,  $R_{C_1}$  AND  $R_D$  AS LOW AS YOU REASONABLY CAN, AGAIN TO MINIMIZE DRY CIRCUIT PROBLEMS.

LIKE WE SAID EARLIER, OVER HALF OF ALL TRIMMER APPLICATIONS ARE IN THE RHEOSTAT MODE – TWO EXAMPLES ARE THE VOLTAGE REGULATOR CIRCUIT IN FIGURE 7 AND OP AMP CIRCUITS IN FIGURE 8.









INVERTING OPAMP WITH FEEDBACK GAIN ADJUST

OUR STUDY SHOWED US THAT IN ABOUT HALF THE RHEOSTAT APPLICATIONS, DESIGNERS USE THIS CONFIGURATION BY MAKING CONNECTIONS TO ONE END OF THE RESISTANCE ELEMENT AND THE WIPER, LEAVING THE OTHER ELEMENT TERMINAL OPEN AS SHOWN IN FIGURE 8a.

# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

# WHAT IS AN ENCODER?

ING ANGULAR DEGREES.

IN SIMPLEST TERMS, AN ENCODER IS

ANY DEVICE THAT CONVERTS ANALOG

SIGNALS, SHAFT POSITIONS, OR OTHER

ANALOG PARAMETERS TO DIGITAL FORM.

You Won't Find This
Into in Any Catalog!

IN GRAPHIC TERMS, THIS ENCODER DISK
IS USED TO CONVERT SHAFT
POSITION TO CORRESPONDING
DIGITAL VALUE REPRESENT-



AN ENCODER FUNCTIONS DIFFERENTLY IN A SYSTEM FROM A PANEL CONTROL OR PRECISION POTENTIOMETER, EVEN THOUGH EXTERNALLY THEY APPEAR TO BE SIMILAR.

AMONG THE SPECIAL CAPABILITIES OF AN ENCODER ARE:

- DIRECTION OF ROTATION
- UP/DOWN COUNTING
- ANGULAR POSITION
- SPEED OF ROTATION

TODAY'S ENGINEERS ARE MOVING AWAY FROM ANALOG DEVICES AND ARE LOOKING FOR LOW-COST ENCODERS WHICH PROVIDE A VERY ACCURATE DIGITAL SIGNAL AND CAN BE INTERPRETED THOUSANDS OF WAYS DEPENDING ON YOUR CUSTOMER'S REQUIREMENTS.

INSTRUMENTATION

ROBOTICS

- TEST EQUIPMENT / SCOPES
- ANIMATED "DINOSAURS" JURASSIC PARK
- AUDIO . HIGH-END MIXING BOARDS
  - VOLUME CONTROL/STATION SELECT AUTOMOBILE STEREO SYSTEMS

MEDICAL COMPUTER

- ULTRASOUND IMAGING EQUIPMENT
- TRACK BALL OR MOUSE CONTROLS

#### TYPES OF ENCODERS

#### 1. INCREMENTAL CONTACTING

TWO CHANNEL GRAY CODED SIGNAL ALLOWS THE USER'S DECODER CIRCUIT TO SENSE ANALOG DIRECTION OF ROTATION. THE BIG ADVANTAGE OF THE INCREMENTAL CONTACTING ENCODER IS THAT IT PERMITS THE DIRECT ENTRY OF DIGITIZED ANALOG DATA INTO THE CIRCUIT WITHOUT A/D CONVERSION.


#### **ENCODER CONSTRUCTION:**

- AN ELEMENT
- A MOVEABLE CONTACT (WIPER)
- END TERMINALS
- A CONTACT ACTUATOR (SHAFT/ROTOR ASSEMBLY)


#### PACKAGE SIZES:

SIZES RANGE FROM AS SMALL AS 6MM UP TO 22MM AND LARGER.

**OUTPUT TABLE:** 




RECOMMENDED
INCREMENTAL CONTROL
DIAGRAM:



# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:





# TYPES OF ENCODERS (Continued from Previous Issue)



### 2. ABSOLUTE CONTACTING ENCODERS (ACETM)

THE GRAY CODE PATTERN OF THE ABSOLUTE CONTACTING ENCODER (ACETM) IS PLACED ON A SINGLE TRACK FOR A VERY ECONOMICAL, ENERGY-EFFICIENT AND COMPACT PRODUCT. ABSOLUTE CONTACTING ENCODERS PROVIDE AN ABSOLUTE DIGITAL OUTPUT THAT WILL ALSO RETAIN ITS LAST POSITION IN THE EVENT OF A POWER FAILURE!




#### ACE™ CONSTRUCTION:

- AN ELEMENT
- (WIPER)
- ACCESS TERMINALS
- A MOVEABLE CONTACT A CONTACT ACTUATOR (SHAFT/ROTOR ASSEMBLY)

#### OUTPUT:

8 BIT GRAY CODE WITH UP TO 128 ABSOLUTE STATES DEPENDING ON PACKAGE SIZE AND CONSTRUCTION.

TYPICAL CONTROL DIAGRAM FOR ABSOLUTE CONTACTING ENCODERS:



# TYPES OF ENCODERS (Continued)


#### 2. INCREMENTAL NON-CONTACTING OPTICAL ENCODERS

TWO CHANNEL GRAY CODE SIGNAL ALLOWS THE USER'S DECODER CIRCUIT TO SENSE ANALOG DIRECTION OF ROTATION. THE NON-CONTACTING ENCODER PERFORMS THE SAME FUNCTIONS AS THE CONTACTING VERSION BUT THERE ARE SOME REAL ADVANTAGES TO THE OPTICAL ENCODER. THEY INCLUDE:

- HIGH ROTATIONAL LIFE
- HIGH SPEED ACCURACY
- RESOLUTIONS UP TO 256 COUNTS PER 360° MECHANICAL ROTATION

#### OPTICAL INCREMENTAL ENCODERS:

- UTILIZE LED AND SENSOR BOARD TECHNOLOGY INSTEAD OF ROTOR/ WIPER ASSEMBLIES.
- PACKAGE SIZES RANGE FROM 5/8" SQUARE AND UP.
- INDEX PULSING IS ALSO AVAILABLE.



CUTAWAY ILLUSTRATION


# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

e-mail: techweb@bourns.com • FAX: (909) 781-5273 (North America); +41- 41 7685510 (Europe) or the Bourns Web Site: www.bourns.com




Leading —— by Desil QN~



# "WHAT IS LINEARITY?" (Continued from Previous Issue)



**ABSOLUTE LINEARITY** IS DEFINED AS THE MAXIMUM 2. PERMISSIBLE DEVIATION OF THE ACTUAL OUTPUT CURVE FROM A FULLY DEFINED STRAIGHT REFERENCE LINE. NOTE: AN INDEX POINT ON THE ACTUAL OUTPUT IS REQUIRED.



ABSOLUTE LINEARITY

THE REFERENCE LINE FOR ABSOLUTE LINEARITY MAY BE DESCRIBED MATHEMATICALLY AS:

$$\frac{E_O}{E_1} = M \left( \frac{\Theta_W}{\Theta_T} \right) + b$$

IN THE EXAMPLE ABOVE, THE LOWER LIMIT OF THE OUTPUT RATIO IS SPECIFIED AS 0.05. THEREFORE, THE VALUE OF 6 (INTERCEPT) MUST ALSO BE 0.05. IN ADDITION, THE UPPER LIMIT OF THE OUTPUT RATIO IS 1 WHEN:

$$\frac{\Theta_{\rm W}}{\Theta_{\rm T}} = 1.0$$

TO DETERMINE THE SLOPE, SUBSTITUTE THESE UPPER AND LOWER LIMIT VALUES IN THE GENERAL EQUATION AND SOLVE FOR M.

$$\frac{E_o}{E_1} = M\left(\frac{\Theta_W}{\Theta_T}\right) + b$$

$$I = M(1) + .05$$

$$M = \frac{1 - .05}{1}$$

$$M = .95$$


FOR THIS EXAMPLE, THE INDEX POINT HAPPENS TO BE AT AN OUTPUT RATIO,  $\frac{E_0}{E_1}$ , OF 0.5 AND WIPER TRAVEL,  $\Theta_{W}$ , OF 170°.

ABSOLUTE LINEARITY IS THE MOST PRECISE DEFINITION OF POTENTIOMETER OUTPUT BECAUSE THE GREATEST NUMBER OF LINEARITY PARAMETERS ARE CONTROLLED. THIS IS THE PRIMARY ADVANTAGE OF ABSOLUTE LINEARITY.

# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:





# MOST FREQUENTLY ASKED QUESTIONS FROM ENGINEERS



IF SOMEONE WERE TO ASK YOU, "WHAT IS LINEARITY?", COULD YOU ANSWER THEM?

THERE ARE SEVERAL TYPES OF LINEARITY:

- 1. INDEPENDENT
- 2. ABSOLUTE
- 3. ZERO-BASED

LET'S ANSWER THE QUESTION.

1. THE MOST COMMON LINEARITY IS DESCRIBED AS <u>INDEPENDENT</u>.


INDEPENDENT LINEARITY IS DEFINED AS THE MAXIMUM PERMISSIBLE

DEVIATION OF THE ACTUAL OUTPUT CURVE FROM A REFERENCE LINE.

THE REFERENCE LINE IS EXPRESSED BY THE MATHEMATICAL EQUATION:

$$\frac{E_O}{E_1} = M \left( \frac{\Theta_W}{\Theta_A} \right) + b$$

WHERE M IS AN UNSPECIFIED SLOPE,  $\Theta_{\rm A}$  IS THE ACTUAL ELECTRICAL TRAVEL, b IS THE UNSPECIFIED INTERCEPT VALUE OF THE OUTPUT RATIO AT  $\Theta_{\rm W}=O$ .



THIS DIAGRAM ILLUSTRATES CONDITIONS NECESSARY TO DEFINE INDEPENDENT LINEARITY. THE EXAGGERATED WAVY LINE REPRESESENTS THE ACTUAL OUTPUT RATIO, AND IS MEASURED OVER THE TOTAL ACTUAL ELECTRICAL TRAVEL. THE REFERENCE LINE IS POSITIONED ON THE OUTPUT CURVE, WITHOUT REGARD FOR SLOPE AND INTERCEPT, SO THE POSITIVE AND NEGATIVE DEVIATIONS OR LINEARITY ERRORS

ARE MINIMIZED.

# Here's How to Participate:


Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:



# "WHAT IS LINEARITY?" (Continued from Previous Issue)



2. <u>ABSOLUTE LINEARITY</u> IS DEFINED AS THE MAXIMUM
PERMISSIBLE DEVIATION OF THE ACTUAL OUTPUT CURVE FROM A FULLY
DEFINED STRAIGHT REFERENCE LINE. NOTE: AN INDEX POINT ON THE ACTUAL
OUTPUT IS REQUIRED.



ABSOLUTE LINEARITY

THE REFERENCE LINE FOR ABSOLUTE LINEARITY MAY BE DESCRIBED MATHEMATICALLY AS:

$$\frac{E_O}{E_1} = M \left( \frac{\Theta_W}{\Theta_T} \right) + b$$

IN THE EXAMPLE ABOVE, THE LOWER LIMIT OF THE OUTPUT RATIO IS SPECIFIED AS 0.05. THEREFORE, THE VALUE OF 6 (INTERCEPT) MUST ALSO BE 0.05. IN ADDITION, THE LIPPER LIMIT OF THE OUTPUT RATIO IS 1 WHEN:

$$\frac{\Theta_{\rm W}}{\Theta_{\rm T}} = 1.0$$

TO DETERMINE THE SLOPE, SUBSTITUTE THESE UPPER AND LOWER LIMIT VALUES IN THE GENERAL EQUATION AND SOLVE FOR M.

$$\frac{E_O}{E_1} = M\left(\frac{\Theta_W}{\Theta_T}\right) + b$$

$$I = M(1) + .05$$

$$M = \frac{1 - .05}{1}$$

$$M = .95$$


FOR THIS EXAMPLE, THE INDEX POINT HAPPENS TO BE AT AN OUTPUT RATIO,  $\frac{E_0}{E_1}$ , OF 0.5 AND WIPER TRAVEL,  $\Theta_w$ , OF 170°.

ABSOLUTE LINEARITY IS THE MOST PRECISE DEFINITION OF POTENTIOMETER OUTPUT BECAUSE THE GREATEST NUMBER OF LINEARITY PARAMETERS ARE CONTROLLED. THIS IS THE PRIMARY ADVANTAGE OF ABSOLUTE LINEARITY.

### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:






# "WHAT IS LINEARITY?" (Continued from Previous Issue)



3. ZERO-BASED LINEARITY IS DEFINED AS THE MAXIMUM
RESULTING DEVIATION OF THE ACTUAL OUTPUT FROM THE STRAIGHT REFERENCE
LINE. ESSENTIALLY, ZERO-BASED LINEARITY IS A SPECIAL CASE OF INDEPENDENT LINEARITY WHERE THE ZERO TRAVEL END OF THE THEORETICAL
REFERENCE LINE IS SPECIFIED.



ZERO-BASED LINEARITY

THE SLOPE OF THE REFERENCE LINE IS CHOSEN AS THE BEST STRAIGHT LINE FIT IN ORDER TO REDUCE THE MAXIMUM DEVIATIONS OF THE ACTUAL TRANSFER FUNCTION FROM THE REFERENCE.

THE MATHEMATICAL EQUATION DESCRIBING THE ACTUAL TRANSFER FUNCTION IS:


$$\frac{E_O}{E_1} = M \left( \frac{\Theta_W}{\Theta_A} \right) + b + k$$

WHERE M IS THE UNSPECIFIED SLOPE WHOSE VALUE IS CHOSEN TO MINIMIZE DEVIATIONS FOR A SPECIFIC POTENTIOMETER, B IS THE SPECIFIED INTERCEPT VALUE DETERMINED BY THE MINIMUM OUTPUT VOLTAGE RATIO SPECIFICATION,  $\Theta_{\rm w}$  IS WIPER POSITION,  $\Theta_{\rm a}$  IS THE ACTUAL ELECTRICAL TRAVEL FOR A SPECIFIC UNIT, AND K IS THE LINEARITY.

# Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:







#### MORE CIRCUIT APPLICATIONS



IN ABOUT HALF THE RHEOSTAT APPLICATIONS, DESIGNERS USE THIS CONFIGURATION BY MAKING CONNECTIONS TO ONE END OF THE RESISTANCE ELEMENT AND THE WIPER, LEAVING THE OTHER ELEMENT TERMINAL OPEN AS SHOWN IN FIGURE A.




WHAT'S WRONG WITH THIS? WELL A COUPLE OF THINGS. TAKE A LOOK AT FIGURE B.



NON-INVERTING OP-AMP WITH FEEDBACK GAIN ADJUST FIGURE B

FIRST, NOTICE THAT THE UNUSED PORTION OF THE ELEMENT IS NOW IN PARALLEL WITH THE VARIABLE WIPER CONTACT RESISTANCE. THAT MEANS YOU COULD PICK UP SOME IMPROVEMENT IN CRV (CONTACT RESISTANCE VARIATION) DURING ADJUSTMENT AND SETTING STABILITY DURING STATIC OPERATION.



OP-AMP INPUT OR OUTPUT GAIN ADJUSTMENT FIGURE C

SECOND, KEEP IN MIND THAT THE OPEN WIPER CONDITION IS THE MODE WHERE MOST TRIMMERS MEET THEIR DOWNFALL. IF THIS HAPPENS, THE OUTPUT IN BOTH EXAMPLES COULD BE FORCED TO THE EXTREME LIMITS PERMITTED BY THE SUPPLY VOLTAGES. AND THAT COULD DAMAGE OTHER COMPONENTS IN THE SYSTEM.

IF THE UNUSED PORTION OF THE TRIMMER ELEMENT IS TIED TO THE WIPER, THE OUT-PUT OF BOTH CIRCUITS CAN ONLY SHIFT BY THE AMOUNT PERMITTED BY THE TOTAL TRIMMER RESISTANCE AND WHAT DOES THAT GET YOU? IMPROVED RELIABILITY IN BOTH CASES.




TAKE OUR ADVICE:
TIE UP YOUR LOOSE ENDS ON RHEOSTATS.

AND REMEMBER, ALWAYS USE THE SMALLEST VALUE OF TRIMMER RESISTANCE THAT WILL GIVE THE RANGE OF ADJUSTMENT NEEDED BY YOUR APPLICATION.

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:







### MORE CIRCUIT APPLICATIONS (Cont'd from previous issue)




THERE SEEMS TO BE A TENDENCY FOR DESIGNERS TO USE THE TRIMMER TO SATISFY THE TOTAL RESISTANCE REQUIRED BY THAT LEG OF A SERIES NETWORK. YOU CAN SEE THAT IN FIGURES A AND D WHERE IT'S ASSUMED THAT ONLY A SMALL ADJUSTMENT OF FREQUENCY IS NEEDED. BUT A LARGER VALUE OF TRIMMER RESISTANCE IS USED TO AVOID AN ADDITIONAL FIXED RESISTANCE TO SET THE CENTER FREQUENCY. THAT'S A COMMON MISUSE OF THE TRIMMER.




TYPICAL OSCILLATOR CIRCUIT FIGURE A



TYPICAL OSCILLATOR CIRCUIT FIGURE B





OSCILLATOR GATED TONE BURST OSCILLATOR
FIGURE D

DOING IT THAT WAY CAN SAVE YOU A FIXED RESISTOR OR TWO, BUT YOU'LL PAY THE COST OF REDUCED STABILITY AND DRIFT DUE TO THE POOR MATCH OF CHARACTERISTICS BETWEEN FIXED RESISTORS AND THE TRIMMER.

SO WHAT'S THE RIGHT WAY? LOOK AT FIGURES B AND C. FOR BEST PERFORMANCE, USE A SERIES FIXED RESISTANCE WITH THE TRIMMER TO PROVIDE ONLY THE RANGE OF ADJUSTMENT REQUIRED BY THE APPLICATION.

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:



### THE HOSTILE ENVIRONMENT CALLED PRODUCTION

IT'S NOT MUCH GOOD GOING TO A LOT OF TROUBLE PICKING OUT THE RIGHT TRIMMER TO MEET THE SPECIFICATIONS OF THE CIRCUIT YOU'RE DESIGNING, IF YOU OVERLOOK THE RIGORS IT HAS TO FACE ON

YOUR OWN PRODUCTION LINE.

FROM THE TRIMMER'S POINT OF VIEW, IT'S A JUNGLE OUT THERE.



IN FACT, ONCE YOUR PRODUCT GETS INTO YOUR CUSTOMER'S HANDS, THE HARDEST PART OF THE TRIMMER'S LIFE MAY BE PAST. STRESSES INFLICTED BY ASSEMBLY PROCESSES CAN CAUSE INTERFACE SEALS WITHIN THE COMPONENT TO DETERIORATE, EXPOSING INTERNAL MECHANISMS TO THE CORROSIVE INFLUENCES OF MOISTURE AND CONTAMINANTS, ELECTRICAL AND MECHANICAL PERFORMANCE MAY BE DEGRADED. THIS IS PARTICULARLY DAMAGING TO COMPLEX COMPONENTS SUCH AS TRIMMING POTENTIOMETERS.

#### SOLDERING IS A GOOD EXAMPLE

AT ONE TIME, SOLDERING WAS DONE THE "OLD FASHIONED WAY"-BY HAND. IN THE RIGHT HANDS ALL WAS FINE. IN THE WRONG HANDS OR WITH THE WRONG TOOLS, COMPONENTS TRULY GOT "BURNED-IN."

SO WHEN WAVE SOLDERING CAME ALONG, WE ACTUALLY BREATHED A SIGH OF RELIEF. IT WAS HOT, BUT CONSISTENT.



TO EVALUATE THE RIGORS THAT TRIMMERS MUST UNDERGO ON YOUR PRODUCTION LINE, IT MAY BE HELPFUL TO COMPARE THE WAVE SOLDERING METHODS AT YOUR COMPANY WITH THE RESULTS OF AN INDUSTRY SURVEY.

SURVEY RESULTS (REPORTED AS THE CHOICE BY COMPANIES SURVEYED):

| APPLICATION OF FLUX            |     |
|--------------------------------|-----|
| CONTROLLED FOAM                | 74% |
| SPRAY                          | 15% |
| OTHER (BRUSH; DIP; FLUX PASTE) | 11% |

#### BOARD PREHEATING

| 85°C FOR 22 SEC. (APPROX.)41%  | 8 |  |
|--------------------------------|---|--|
| 140°C FOR 15 SEC. (APPROX.)24% | 1 |  |
| PREHEATING NOT USED35%         | F |  |

#### SOLDERING TIME AND TEMPERATURE

| EKINO TIME AND TEIM EKAMOKE |     |
|-----------------------------|-----|
| 250°C FOR 5 SEC             | 30% |
| 260°C FOR 6 SEC             | 28% |
| 230°C FOR 3 SEC             | 19% |
| 240°C FOR 4 SEC             | 18% |
| 220°C FOR 2 SEC             | 5%  |


#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

e-mail: techweb@bourns.com • FAX: (909) 781-5273 (North America); +41- 41 7685510 (Europe) or the Bourns Web Site: www.bourns.com




Leeding <sup>by</sup>De5ign~



#### BOARD WASHING

THIS PROCESS, DESIGNED TO REMOVE EXCESS FLUX AND CONTAMINANTS FROM THE BOARD, SUBJECTS THE COMPONENTS TO A TIDAL WAVE, CAUSING A SUDDEN TEMPERATURE DROP THAT IS EVEN MORE SHATTERING THAN THE SUDDEN RISE DURING SOLDERING, SHOCK! THINK OF A BLACKSMITH PLUNGING A HORSESHOE




INTO A BUCKET OF WATER AND YOU GET AN IDEA OF THE SHOCK BOARD WASHING CAN GIVE THE CIRCUIT BOARD.

THE WATER BATH COMMONLY USED FOR BOARD WASHING CAN LOWER AIR TEMPERATURE SO QUICKLY THAT A PARTIAL VACUUM IS CREATED THAT CAN SUCK IN CONTAMINANTS LIKE A VACUUM CLEANER.

TO HELP YOUR TRIMMERS SURVIVE PRINTED CIRCUIT BOARD PROCESSING:

FAN THEM -- USE A COOLING FAN TO DROP THE TEMPERATURE AFTER SOLDERING. BUT BEFORE THE UNITS ENTER THE WASH.

SLOW THEM -- ADD A SHORT DELAY BEFORE CLEANING, TO PROVIDE A COOLING TIME.



#### A FINAL CHECKLIST

- TO MINIMIZE TEMPERATURE SHOCK OF SOLDERING, PREHEAT BOARDS AND REDUCE SOLDER TIME.
- TO AVOID HEATING COMPONENTS ABOVE MAX. TEMPERATURES, USE THE LOWEST POSSIBLE SOLDER TEMPERATURE AND THE MAXIMUM ALLOW-ABLE CONVEYOR SPEED CONSISTENT WITH GOOD SOLDERING PRACTICES.
- TO REDUCE SHOCK WHEN TRIMMERS HIT THE WASH, USE A WASH/RINSE TEMPERATURE CLOSE TO THE COMPONENT TEMPERATURE. EXTEND TIME BETWEEN THE SOLDER PROCESS AND THE WASH TO ALLOW COOLING OF THE BOARD AFTER SOLDER AND BEFORE THE WASH.
- AND TO MINIMIZE THE EFFECT OF MOISTURE, USE AS FEW WASH/RINSE AND RINSE/DRY CYCLES AS POSSIBLE, AND USE HEATED AIR KNIVES.
- TO REDUCE SHOCK WHEN TRIMMERS HIT THE WASH, USE A WASH/RINSE TEMPERATURE COMPONENT CLOSE TO THE COMPONENT TEMPERATURE. EXTEND TIME BETWEEN THE SOLDER PROCESS AND THE WASH TO ALLOW COOLING OF THE BOARD AFTER SOLDER AND BEFORE THE WASH.

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series and other material each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:



#### THE MECHANICAL MENACE


CONSIDER WHICH OF THESE
COMMON PRODUCTION-LINE
HAZARDS THE TRIMMER WILL
HAVE TO ENDURE AND
SELECT A PRODUCT
THAT'S SUITABLE


TO THE CHALLENGE.





AUTO INSERTION - IF THE TRIMMERS WILL BE INSERTED BY MACHINE, SELECT MODELS THAT HAVE TERMINATIONS STRONG ENOUGH TO WITHSTAND THE FORCES.







AUTOMATIC TRIMMER ADJUSTMENT-ROBOTIC EQUIPMENT IS NOW AVAILABLE THAT CAN MEASURE CIRCUIT PARAMETERS AND MAKE NECESSARY TRIMMER ADJUSTMENTS AUTOMATICALLY.

IF YOU HAVE REQUIREMENTS FOR VERY HIGH-VOLUME PRODUCTION, YOU MAY WANT TO SUGGEST THIS EQUIPMENT FOR YOUR COMPANY. SELECT A TRIMMER THAT HAS AN ADJUSTMENT SCREW HEAD THAT IS COMPATIBLE WITH ROBOTIC EQUIPMENT, TYPICALLY A CROSS SLOT OR A HEX SHAPED DRIVE FEATURE.

ADJUSTMENT SCREW HEAD CEMENTING - A MULTI-TURN TRIMMER ADJUSTMENT SCREW IS SELF-LOCKING. EVEN WHERE THE UNIT WILL BE SUBJECTED TO VIBRATION OR SHOCK, THERE IS RARELY A NEED TO CEMENT THE ADJUSTMENT SCREW IN POSITION. IN MOST APPLICATIONS, THE ONLY REASONS TO DO SO WOULD BE TO PREVENT THE USER FROM MAKING ADJUSTMENTS, OR TO TELL IF AN UNAUTHORIZED ADJUSTMENT HAS BEEN MADE.

TRIMMER LOCATION - YOU'VE HEARD OF A POT HANDLE? IF YOU PUT THE POT IN THE WRONG PLACE ON YOUR BOARD, PEOPLE WILL USE IT AS A

V

HANDLE FOR PICKING UP THE BOARD. KEEP THIS


HAZARD IN MIND WHEN LAYING OUT

YOUR BOARD.

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:





## THE OPERATING ENVIRONMENT OF THE FINAL PRODUCT



IN SELECTING THE RIGHT TRIMMER FOR THE JOB, YOU NEED TO CONSIDER THE ENVIRONMENT IN WHICH THE PRODUCT YOU'RE BUILDING WILL ULTIMATELY BE USED. THERE ARE SOME FACTORS IN THIS EVALUATION THAT ARE OFTEN OVERLOOKED.

- WHERE ACCURACY OF TOTAL RESISTANCE OVER A RANGE OF TEMPERATURES IS IMPORTANT, A WIREWOUND UNIT MAY BE THE CHOICE. THE TEMPCO FOR WIREWOUND IS GENERALLY ±50 PPM/°C WHEN MEASURED BETWEEN THE ENDS OF THE ELEMENT.
- HUMIDITY IS A PARTICULAR PROBLEM FOR CARBON TRIMMERS, DUE TO THE HYDROSCOPIC NATURE OF THE MATERIAL. IN SEALED TRIMMERS, CERMET AND WIREWOUND UNITS ARE RARELY AFFECTED. IN FACT, ALL MODELS ROUTINELY PASS THE STRINGENT REQUIREMENTS OF MILITARY SPECIFICATIONS.
- LONG-TERM POWER THE WAY POWER IS APPLIED CAN HAVE A SIGNIFICANT EFFECT ON THE LIFE AND FUNCTIONING OF THE TRIMMER. AMONG THE FACTORS TO CONSIDER: WILL THE TRIMMER BE USED IN AN AC APPLICATION OR A DC? IS HIGH FREQUENCY AC REACTANCE A CONSIDERATION? WILL THE POWER BE ON CONTINUOUSLY FOR LONG PERIODS OF TIME? WILL THE POWER BE CYCLED ON AND OFF REPEATEDLY? ARE MULTIPLE UNITS "STACKED" SIDE-BY-SIDE? WHAT IS THE MAXIMUM AMBIENT TEMPERATURE THE TRIMMER WILL BE SUBJECTED TO?

V

TRANSPORT – EVEN IF YOUR PRODUCT IS NOT A PORTABLE OR MOBILE PIECE OF EQUIPMENT, DON'T OVERLOOK THE FACT THAT IT WILL BE SUBJECTED TO THE RIGORS OF SHIPPING BEFORE IT REACHES YOUR CUSTOMER. TAKE INTO ACCOUNT THE EXTREMES OF TEMPERATURE, SHOCK AND VIBRATION THAT MIGHT BE ENCOUNTERED.



#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:





#### THE POSSIBILITIES OF SMT



BEFORE WE START THE HEAVY-DUTY WORK, LET'S EASE INTO A LITTLE "WHAT IF" DAYDREAMING.

WHAT IF YOU COULD BOOST THE PERFORMANCE OF YOUR CIRCUIT BY 10%, 15%, 20% OR MORE?



WHAT IF YOU COULD SIMULTANEOUSLY REDUCE NOISE AND CROSSTALK AND GET IMPROVED EMI/RFI CHARACTERISTICS AS WELL?


WHAT IF THESE PERFORMANCE INCREASES CAME WITH A CORRESPONDING DECREASE IN BOARD SIZE LEADING TO A SMALLER CHASSIS LEADING TO A MORE COMPACT PRODUCT?

WHAT IF BOARD ASSEMBLY TIME WAS REDUCED, REWORK VIRTUALLY ELIMINATED AND FIELD FAILURES SO RARE THEY BECOME A CURIOSITY?

WHAT IF IT WASN'T A DAYDREAM? WHAT IF ALL YOUR COMPETITORS HAD SUCH TECHNOLOGY AND IF YOU DIDN'T GET IT SOON THE MARKET WAS GOING TO GIVE YOU "WHAT FOR."

THAT'S ABOUT WHERE SMT IS TODAY.

LET'S TAKE A LOOK BELOW THE SURFACE OF SMT TO UNDERSTAND HOW AND WHY IT OFFERS SUCH BENEFITS.



TURBO-CHARGED PERFORMANCE. PERFORMANCE INCREASES RESULT FROM GREATER COMPONENT DENSITY (THE DISTANCE BETWEEN COMPONENTS) AND REDUCTION OR ELIMINATION OF LEAD LENGTH BETWEEN THE COMPONENT AND THE BOARD.

THERE IS SIGNIFICANTLY LESS TRACE RESISTANCE, LESS TRACE INDUCTANCE AND A REDUCTION IN LINE CAPACITANCE WITH SMT.

THESE SHORTER INTERCONNECTIONS RESULT IN IMPROVED EMI/RFI CHARAC-TERISTICS TOO. FOR YOU BUZZ WORD LOVERS OUT THERE, IT'S ENOUGH TO SAY THAT THE PACKAGE PARASITICS ARE REDUCED AND THERE'S AN "INDUCTIVE REDUCTION FOR SPEED PRODUCTION."

### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

e-mail: techweb@bourns.com • FAX: (909) 781-5273 (North America); +41- 41 7685510 (Europe) or the Bourns Web Site: www.bourns.com



Leading \_\_\_\_\_ by Design\*

# THE POSSIBILITIES OF SMT (Cont'd from previous issue)

You Won't Find This
Into in Any Catalog!

SIZEABLE SIZE REDUCTIONS. BOARD SIZE CAN BE REDUCED BY AS MUCH AS 60 PERCENT USING SMT COMPONENTS AND PROCESSES. ONE REASON IS THAT WITH SMT, THERE ARE NO THROUGH-THE-BOARD HOLES SO BOARD STUFFING IS NO LONGER A ONE-SIDED STORY. BUT TWO SIDES ADD-UP TO MORE THAN TWICE AS MUCH. THAT'S BECAUSE SMT COMPONENTS ARE SIGNIFICANTLY SMALLER IN SIZE PLUS THEY CAN BE PACKED MORE DENSELY TOGETHER....ON BOTH SIDES OF THE BOARD.


#### AUTOMATIC SAVINGS.

THE RELATIVE EASE OF AUTOMATING "ONSERTION" VS. INSERTION OF LEADED COMPONENTS CAN LEAD TO SIGNIFICANT SAVINGS. THE PICK-AND-PLACE MACHINES COMMONLY USED FOR SMDs OPERATE EIGHT...TEN...EVEN TWELVE TIMES FASTER THAN HAND OR SEMI-AUTOMATED PROCESSES.

AND, OR COURSE, WHENEVER THE HUMAN ELEMENT IS ELIMINATED, SO TOO, IS HUMAN ERROR - THERE'S LESS REWORK AND REWORK COSTS.

#### NO PAIN, NO GAIN.

IF IT ALL SOUNDS TOO EASY, YOU HAVE THE EAR OF A SEASONED DESIGNER. THE PATH TO USING ANY NEW TECHNOLOGY – INCLUDING SMT – IS FILLED WITH OBSTACLES, NOT THE LEAST OF WHICH IS OVERCONFIDENCE. IN THE INTEREST OF BALANCED REPORTING, WE FEEL OBLIGATED TO INCLUDE THE PESSIMIST'S VIEW OF SMT.



<u>NEW EQUIPMENT</u> WILL BE NEEDED INCLUDING PICK-AND-PLACE MACHINES, SPECIAL SOLDERING MACHINES, AND NEW TEST EQUIPMENT.

<u>CIRCUIT BOARD LAYOUT</u>, COMPONENT, AND PAD SPACE IS TIGHTER.

<u>COMPONENT COSTS</u> CURRENTLY RANGE FROM SLIGHTLY HIGHER TO SIGNIFICANTLY HIGHER THAN LEADED EQUIVALENTS.

<u>AVAILABILITY</u> CAN BE A PROBLEM. NOT ALL TYPES OF COMPONENTS ARE OFFERED IN SURFACE MOUNT PACKAGES, THOUGH THIS IS CHANGING RAPIDLY.

<u>SOLDERING</u> PRESENTS SPECIAL CHALLENGES FOR SURFACE MOUNTED PARTS.

ON BALANCE, WE THINK THE POSITIVES EASILY OUTWEIGH THE NEGATIVES.




### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:



#### RESISTIVE ELEMENTS

Into in Any Catalog THE REAL HEART OF ANY POTENTIOMETER IS THE RESISTIVE ELEMENT. IT AFFECTS, TO SOME DEGREE, ALL POTENTIOMETER ELECTRICAL PARAMETERS. THERE ARE TWO GENERAL CLASSIFICATIONS OF RESISTIVE ELEMENTS -- WIREWOUND AND NONWIREWOUND. THE NONWIREWOUND GROUP CAN BE FURTHER CLASSIFIED AS CERMET, CARBON, METAL FILM, OR BULK



Early 20th century slide-wire rheostat (Central Scientific Co.)

METAL. IT IS ALSO POSSIBLE TO COMBINE WIREWOUND AND CONDUCTIVE PLASTIC (A SPECIAL CARBON COMPOSITION) IN ONE ELE-MENT TO ACHIEVE IMPROVED PERFORMANCE OF CERTAIN ELECTRICAL PARAMETERS. IN ADDITION, CERMET AND CONDUCTIVE PLASTIC HAVE BEEN COMBINED. BOTH OF THESE COMBINATION ELEMENTS ARE REFERRED TO AS HYBRID ELEMENTS.


#### WIREWOUND ELEMENTS

RESISTANCE WIRE CAN BE USED TO FORM THE RESISTIVE ELEMENT IN A POTEN-TIOMETER. COMMONLY USED MATERIALS ARE ONE OF THREE ALLOYS: NICKEL-CHROMIUM, COPPER-NICKEL, AND GOLD-PLATINUM.

BASICALLY. THE ACTUAL WIRE USED DEPENDS UPON THE TOTAL RESISTANCE REQUIRED, THE RESOLUTION NEEDED, AND THE SPACE AVAILABLE. SMALLER WIRE ALLOWS HIGHER RESISTANCE IN A GIVEN SPACE AND IMPROVED RESOLUTION. HOWEVER, SMALLER WIRE IS MORE FRAGILE AND THEREFORE. DIFFICULT TO WIND. POWER AND CURRENT CARRYING REQUIREMENTS ALSO INFLUENCE THE CHOICE OF RESISTANCE WIRE SIZE.


ALTHOUGH IT IS POSSIBLE TO HAVE A SIMPLE SINGLE STRAIGHT WIRE ELEMENT. SUCH CONSTRUCTION IS IMPRACTICAL. AS AN ILLUSTRATION, ASSUME THE HIGH-EST RESISTIVITY WIRE WAS USED TO CONSTRUCT A 5000 OHM RESISTIVE ELEMENT. THE FINISHED POTENTIOMETER WOULD BE GREATER THAN ONE FOOT IN LENGTH. THE COMMON CONSTRUCTION TECHNIQUE FOR A RESISTIVE WIRE ELEMENT

REQUIRES MANY TURNS OF RESISTANCE WIRE CAREFULLY WOUND ON A CARRIER FORM OR MANDREL. THIS METHOD ALLOWS A SUBSTANTIAL RESISTANCE TO BE PACKAGED IN A SMALL VOLUME. THE MOST COMMON TYPE OF MANDREL IS A LENGTH OF INSULATED COPPER WIRE. AFTER WINDING, THIS FLEXIBLE CARRIER FORM CAN BE COILED IN A HELICAL FASHION TO FURTHER COMPRESS THE LENGTH REQUIRED FOR THE RESISTIVE ELEMENT.



Winding resistance wire on


insulated tube allows longer wire in a practical package




a flat mandrel could be used

THIS ELEMENT MAY BE CUT INTO INDIVIDUAL RINGS FOR SINGLE TURN POTENTIOMETERS OR HELICAL ELEMENTS FOR MULTITURN UNITS. THE VERY DELICATE RESISTANCE WIRE MUST BE WOUND ON THE MANDREL IN A MANNER THAT PRODUCES UNIFORMITY AND THE RIGHT AMOUNT OF TOTAL RESISTANCE IN THE EXACT LENGTH REQUIRED.

WIREWOUND POTENTIOMETERS OFFER VERY GOOD STABILITY OF TOTAL RESISTANCE WITH TIME AND TEMPERATURE CHANGES. STABILITY CAN BE BETTER THAN 0.01% IN 1000 HOURS OF OPERATION. ADDITIONALLY, THESE ELEMENTS OFFER LOW NOISE IN THE STATIC STATE, HIGH POWER CAPABILITIES, AND GOOD OPERATIONAL LIFE.



Curved mandrel saves space and allows rotary control



Shaping mandrel into helix puts long length in small space


WIREWOUND ELEMENTS DO NOT OFFER AS WIDE A SELECTION OF TR VALUES AS SOME OTHER TYPES; BUT, THE RANGE IN TRIMMERS IS FROM 10 OHMS TO 20K OHMS. SOME MANUFACTURERS OFFER VALUES AS HIGH AS 100K OHMS AT PREMIUM PRICES. PRECISIONS ARE AVAILABLE WITH TOTAL RESISTANCE AS LOW AS 25 OHMS AND AS HIGH AS 500K OHMS.

To be continued

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:






# RESISTIVE ELEMENTS (Cont'd from previous issue)



THE USE OF WIREWOUND ELEMENTS SHOULD BE AVOIDED IN HIGH FREQUENCY APPLICATIONS. THE MANY TURNS OF RESISTANCE WIRE EXHIBIT AN INDUCTIVE REACTANCE WHICH INCREASES DIRECTLY WITH FREQUENCY. THIS EFFECT IS MOST

NOTICEABLE IN LOW TOTAL RESISTANCE POTENTIOMETERS
BECAUSE THE INDUCTIVE REACTANCE CAN BE LARGER THAN
THE RESISTANCE, EVEN AT FREQUENCIES AS LOW AS 20KHZ.

PERFORMANCE OF WIREWOUND POTENTIOMETERS IS ALSO AFFECTED BY INHERENT CAPACI-TANCE. CAPACITANCE EXISTS FROM TURN TO TURN AND ALSO BETWEEN THE WINDING AND



A common cermet potentiometer construction

MANDREL. CAPACITANCE EFFECTS ARE MOST SIGNIFICANT IN HIGH TOTAL RESISTANCE POTENTIOMETERS THAT USUALLY HAVE MORE TURNS OF WIRE.

#### NONWIREWOUND ELEMENTS

VARIABLE RESISTIVE DEVICES THAT ARE NOT MADE WITH RESISTANCE WIRE ARE CATEGORIZED BY THE INDUSTRY AND MILITARY AS NONWIREWOUND.

CERMET RESISTIVE ELEMENTS. ONE OF THE MATERIALS DEVELOPED COMBINES VERY FINE PARTICLES OF CERAMIC OR GLASS WITH THOSE OF PRECIOUS METALS TO FORM A CERAMIC METAL RESISTIVE MATERIAL AFTER FIRING IN A KILN.

CERMET IS A TERM WHICH MAY BE APPLIED TO A WIDE RANGE OF MATERIALS AS MANUFACTURED BY DIFFERENT SOURCES. DO NOT ASSUME THAT ALL CERMET POTENTIOMETERS ARE THE SAME. THE COMMENTS INCLUDED IN THE FOLLOWING PARAGRAPHS APPLY TO CERMET ELEMENTS MADE BY MOST MANUFACTURERS.

MAJOR MANUFACTURERS PAINSTAKINGLY COMPOUND, AND CAREFULLY CONTROL, THE COMPOSITION OF THEIR CERMET MATERIALS AND PROCESSES. THESE ARE USUALLY CONSIDERED PROPRIETARY FOR COMPETITIVE REASONS SO EXACT MATERIALS AND DETAILS OF MANUFACTURING TECHNIQUES ARE OFTEN CLOSELY GUARDED.

CERMET, ALSO KNOWN AS THICK FILM, IS DEFINED AS RESISTIVE AND CONDUCTIVE FILMS GREATER THAN .0001 INCH THICK, RESULTING FROM FIRING A PASTE OR INK THAT HAS BEEN DEPOSITED ON A CERAMIC SUBSTRATE. SIMILAR MATERIALS AND TECHNIQUES ARE USED TO MANUFACTURE HYBRID CIRCUITS AND FIXED RESISTOR NETWORKS. FOR POTENTIOMETERS, THE CONDITION OF THE SURFACE OF THE FILM RELATIVE TO WIPER ACTION (CONDUCTIVITY AND ABRASIVENESS) IS A MAJOR CONCERN.

THE PASTE IS APPLIED TO A FLAT CERAMIC SUBSTRATE, USUALLY ALUMINA OR STEATITE, BY A SILK SCREENING OPERATION. THIS IS A MECHANIZED PRECISION STENCILING PROCESS WHICH USES SCREENS OF STAINLESS STEEL OR NYLON. THE INK IS FORCED THROUGH THE SCREEN BY A HARD RUBBER SQUEEGEE.

THE SHAPE OF THE ELEMENT IS CONTROLLED BY SMALL OPENINGS IN THE FINE MESH SCREEN THAT CORRESPOND TO THE DESIRED PATTERN. THE PATTERN OF THE SCREEN OPENINGS IS PRODUCED BY A PHOTOGRAPHIC PROCESS FROM A LARGE SCALE ARTWORK MASTER. THIS PROCESS ALLOWS GREAT VERSATILITY AND PROVIDES HIGH PRECISION IN SCREEN PRODUCTION.


COMPOSITION OF THE RESISTIVE INKS VARIES ACCORDING TO DESIRED RESULTS. THEY ALL CAN BE DESCRIBED AS BEING COMPOSED OF FINELY POWERED INORGANIC SOLIDS (METAL AND METAL OXIDES) MIXED WITH A POWERED GLASS BINDER (GLASS FRIT) AND SUSPENDED IN A ORGANIC VEHICLE (A RESIN MIXTURE). MATERIALS USED INCLUDING SILVER, PALLADIUM, PLATINUM, RUTHENIUM, RHODIUM, AND GOLD.

To be continued

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:






## RESISTIVE ELEMENTS (Cont'd from previous issue)



PRINTING AND FIRING OF THE INKS IS PREFERABLY DONE IN A HUMIDITY AND TEMPERATURE CONTROLLED ENVIRONMENT. A CONTROLLED TEMPERATURE KILN WITH VARIOUS TEMPERATURE ZONES BETWEEN 800°C AND 1200°C IS USED TO BURN OFF THE ORGANIC VEHICLE AND CAUSES A FUSION OF THE GLASS PARTICLES WITH THE CERAMIC SUBSTRATE. THE METALLIC PARTICLES PROVIDE A RESISTIVE FILM WHICH IS BONDED TO THE SUBSTRATE.

A VERY WIDE RANGE IN RESISTANCE VALUES CAN BE ACHIEVED BY VARYING:

- 1) THE COMPOSITION OF THE RESISTIVE INK.
- 2) THE FIRING PARAMETERS (TIME AND TEMPERATURE).
- 3) THE PHYSICAL SIZE OF THE ELEMENT.



In this design, a ceramic substrate is attached directly to the shaft in order to increase power dissipation capability

SELECTION FACTORS. POTENTIOMETERS HAVING A TOTAL RESISTANCE FROM 10 OHMS TO 10 MEGOHMS ARE PRACTICAL. HOWEVER, THE ENTIRE RESISTANCE RANGE IS NOT AVAILABLE IN ALL POSSIBLE SIZES AND CONFIGURATIONS.

CERMET ELEMENTS OFFER VERY LOW (INFINITISIMAL) RESOLUTION AND GOOD STA-BILITY. THEIR NOISE PERFORMANCE IS GOOD IN BOTH THE STATIC AND DYNAMIC (CRV) CONDITION.

FREQUENCY RESPONSE OF CERMET MATERIALS IS VERY GOOD AND THE PRACTICAL APPLICATION RANGE EXTENDS WELL BEYOND 100MHZ. THE LOWER RESISTIVITY MATERIALS EXHIBIT AN EQUIVALENT SERIES INDUCTANCE, WHILE THE HIGHER RESISTANCE CERMETS DISPLAY AN EQUIVALENT SHUNT CAPACITANCE.

OPERATIONAL LIFE OF CERMET ELEMENTS IS EXCELLENT. THE ELEMENT SURFACE IS HARD AND VERY DURABLE. FAILURES OF CERMET POTENTIOMETERS, AFTER EXTENDED MECHANICAL OPERATION, ARE MORE OFTEN WIPER FAILURES DUE TO WEAR THAN PROBLEMS IN THE ELEMENT.

FOR TRIMMING APPLICATIONS, CERMET ELEMENTS USUALLY OFFER THE BEST PERFORMANCE PER DOLLAR PER UNIT SPACE. EVEN THOUGH CERMET ELEMENTS ARE MORE ABRASIVE THAN CONDUCTIVE PLASTIC, WIPER WEAR IS LOW ENOUGH THAT MECHANICAL LIFE FAR EXCEEDS TRIMMER REQUIREMENTS.

CARBON ELEMENTS. EARLY CARBON FILM POTENTIOMETERS WERE USUALLY MADE WITH A MIXTURE OF CARBON POWDER AND PHENOLIC RESIN APPLIED TO A PHENOLIC SUBSTRATE AND CURED. DRAMATIC IMPROVEMENTS IN MATERIALS TECHNOLOGY OVER THE YEARS HAVE RESULTED IN AN UPGRADING OF SUBSTRATES AND CARBON-PLASTIC RESIN COMPOUNDS. ONE EARLY IMPROVEMENT WAS THE USE OF CERAMIC AS A SUBSTRATE FOR ELEMENTS MADE OF CARBON AND PHENOLIC RESIN.

DEPENDING ON DESIRED END RESULTS, A CARBON COMPOSITION ELEMENT MAY BE SCREENED ON (AS WITH CERMET), BRUSHED ON, SPRAYED ON, APPLIED WITH A TRANSFER WHEEL, OR DIPPED ONTO AN INSULATIVE SUBSTRATE. WHEN SPRAYED ONTO A SUBSTRATE, AN AUTOMATICALLY CONTROLLED SPRAY GUN IS SWEPT BACK AND FORTH. CONTROLLING THE SWEEP SPEED DETERMINES THE THICKNESS OF THE RESISTIVE MATERIAL WHICH INFLUENCES THE RESISTIVITY OF THE ELEMENT. A MASK (STENCIL) MAY BE USED TO CONTROL THE RESISTIVE PATTERN.


THE PROCESSING OF ALL NONWIREWOUND ELEMENTS REQUIRES A MANUFACTURING ENVIRONMENT WHICH IS FREE FROM DUST AND OTHER FOREIGN PARTICLES. FOREIGN PARTICLES SETTLING ON A WET RESISTIVE FILM WILL INTERFERE WITH STABILITY, CONTACT RESISTANCE VARIATION AND THE ELEMENT'S TOTAL RESISTANCE.

To be continued

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:






## RESISTIVE ELEMENTS (Cont'd from previous issue)



AFTER THE RESISTIVE MATERIAL IS APPLIED TO THE SUBSTRATE, THE RESISTANCE ELEMENTS ARE TRANSFERRED TO AN OVEN FOR CURING. THE PROCEDURE MAY BE DONE BY STATIC OVEN BATCH CURING OR BY INFRARED



Resistive elements of composition materials

CURING. DURING CURING, THE SOLVENTS ARE DRIVEN OFF AND THE ORGANIC RESIN CROSS LINKS TO FORM A DURABLE PLASTIC FILM. THE RESISTIVITY INCREASES WITH TIME OR TEMPERATURE. THIS INCREASE IN RESISTIVITY IS PREDICTABLE AND MAY BE COMPENSAT-ED FOR DURING PREPARATION OF THE CARBON COMPOSITION MATERIAL. THE FINISHED ELEMENT HAS CHARACTERISTICS SIMILAR TO A CARBON-FILM FIXED RESISTOR.

VARIOUS TECHNIQUES ARE AVAILABLE FOR CHANGING THE RESISTIVITY OF THE ELEMENTS. IN ADDITION TO THE AMOUNT OF CARBON, SMALL QUANTITIES OF POWDERED METALS, SUCH AS SILVER, ARE SOMETIMES USED. THE METALS, BEING CONDUCTORS, LOWER THE RESISTIVITY AND CAUSE THE TEMPERATURE COEFFI-CIENTS TO BECOME MORE POSITIVE. ALTERING THE ELEMENT GEOMETRY AND PLACING SHORTING CONDUCTORS UNDER THE ELEMENT ARE TWO OTHER METHODS WHICH MAY BE USED TO CHANGE THE RESISTIVITY.

POTENTIOMETERS MADE WITH MOLDED CARBON ARE MANUFACTURED BY MOLDING A PREVIOUSLY FORMED RESISTANCE ELEMENT AND OTHER PARTS OF THE POTEN-TIOMETER TOGETHER. THESE MOLDED UNITS ARE SOMETIMES CALLED HOT MOLD-ED CARBON AND ARE COMPARABLE TO THE CARBON-PELLET TYPE OF FIXED RESIS-TORS. THE HOT MOLDED CARBON ELEMENT PROVIDES DEFINITE IMPROVEMENTS IN MECHANICAL LIFE AND TC COMPARED TO ORDINARY CARBON FILM ELEMENTS.

CONDUCTIVE PLASTIC, THE MODERN CARBON FILM ELEMENT, IS MADE WITH ONE OF THE MORE RECENT PLASTIC RESINS SUCH AS EPOXY, POLYESTERS, IMPROVED PHENOLICS, OR POLYAMIDES. THESE RESINS ARE BLENDED WITH CAREFULLY PROCESSED CARBON POWDER AND APPLIED TO CERAMIC OR GREATLY IMPROVED PLASTIC SUBSTRATES. THE RESULT IS SUPERIOR STABILITY AND PERFORMANCE. THE IMPORTANCE OF PLASTICS TECHNOLOGY TO THESE IMPROVEMENTS HAS PROBABLY BEEN THE REASON FOR ACCEPTANCE OF THE TERM CONDUCTIVE PLASTIC OR PLASTIC FILM ELEMENT.

CONDUCTIVE PLASTIC ELEMENTS MAY VARY CONSIDERABLY IN TEMPERATURE COEF-FICIENT (TC). THE RESISTIVITY RANGE, AMBIENT TEMPERATURE RANGE, MATERIALS PREPARATION PROCEDURES, SUBSTRATE MATERIAL, AND THE CURING TECHNIQUES ALL INFLUENCE THE TC QUALITY.

THE SUBSTRATES USED MAY BE EITHER CERAMIC OR PLASTIC; HOWEVER, MODERN PLASTIC SUBSTRATES RESULT IN BETTER TEMPERATURE COEFFICIENTS DUE TO THE GREATER COMPATIBILITY OF THE INK AND THE SUBSTRATE.

FOR THINNER FILMS THAN THOSE OBTAINED WITH APPLICATION METHODS MENTIONED ABOVE, CARBON MAY BE APPLIED BY VAPOR DEPOSITION. THIS METHOD, WHILE YIELDING AN EXCELLENT FIXED RESISTOR, RESULTS IN A FILM THAT IS USUALLY TOO THIN TO WITHSTAND WIPER ABRASION.


CONDUCTIVE PLASTIC MATERIAL MAY ALSO BE DEPOSITED ON AN INSULATED METAL MANDREL AND FORMED IN A HELIX FOR USE IN MULTI-TURN POTENTIOMETERS.

To be continued

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:





## RESISTIVE ELEMENTS (Cont'd from previous issue)



SELECTION FACTORS. THE CARBON FILM POTENTIOMETER IS USUALLY THE DESIGNER'S FIRST CHOICE FOR AN ECONOMICAL WAY TO VARY RESISTANCE IN AN ELECTRONIC CIRCUIT. THIS IS PARTICULARLY TRUE IN COMMERCIAL APPLICATIONS WHERE SPECIFICATIONS ARE LESS EXACTING AND COST IS A MAJOR CONCERN.

ADVANTAGES OF CARBON ELEMENTS INCLUDE LOW COST. RELATIVELY LOW NOISE DURING ADJUSTMENT, AND EXCELLENT HIGH FREQUENCY PERFORMANCE. THEY ALSO OFFER LOW INDUCTIVE AND DISTRIBUTED CAPACITIVE REACTANCE. THE OPERATIONAL LIFE OF CARBON ELEMENTS IS VERY GOOD AND DEGRADATION CHARACTERISTICS ARE USUALLY GRADUAL RATHER THAN SUDDEN CATASTROPHIC FAILURES.

THE RESISTIVE RANGE OF CARBON ELEMENTS EXTENDS AS HIGH AS 20 MEGOHMS. AND AS LOW AS 10 OHMS. TOTAL RESISTANCE TOLERANCE IS TYPICALLY +/- 20%.

THE PRESENCE OF SUBSTANTIAL CONTACT RESISTANCE IN CARBON ELEMENTS LIMITS APPLICATIONS WHERE EVEN MODERATE WIPER CURRENT WILL BE PRESENT. END RESISTANCE IS USUALLY HIGH.

CARBON ELEMENTS TYPICALLY HAVE POOR MOISTURE RESISTANCE AND THE LOAD STABILITY IS NOT AS GOOD AS CERMET.

THE OUTSTANDING CHARACTERISTICS OF A CONDUCTIVE PLASTIC ELEMENT ARE LOW COST, LOW CONTACT RESISTANCE VARIATION, AND EXTENSIVE ROTATIONAL LIFE. THE SMOOTH SURFACE PRODUCES EXTREMELY LOW RESOLUTION WITH VIRTUALLY NO FRICTION OR WEAR, EVEN AFTER A FEW MILLION CYCLES OF THE WIPER OVER THE ELEMENT.

CONDUCTIVE PLASTIC ELEMENTS OFFER GOOD HIGH FREQUENCY OPERATION, NO. COILS ARE PRESENT IN THE FLAT PATTERN DESIGN TO PRODUCE INDUCTIVE EFFECTS AND THE HELICAL CONSTRUCTION PRODUCES NEGLIGIBLE INDUCTIVE REACTANCE. HOWEVER, WHEN THE CONDUCTIVE PLASTIC ELEMENT IS DEPOSITED ON AN INSULATED METAL MANDREL FOR MULTITURN POTENTIOMETERS, SOME DISTRIBUTED CAPACITANCE IS PRESENT BETWEEN THE ELEMENT AND THE MANDREL. THIS CAPACITANCE LIMITS THE HIGH FREQUENCY PERFORMANCE OF THIS CONSTRUCTION VERY SLIGHTLY.

MAJOR LIMITATIONS OF CONDUCTIVE PLASTIC ELEMENTS ARE LOW WIPER CURRENT RATINGS, MODERATE TEMPERATURE COEFFICIENT AND LOW POWER CAPABILITIES.

METAL FILM ELEMENTS. IT IS POSSIBLE TO VACUUM DEPOSIT A VERY THIN LAYER OF METAL ALLOY ON A SUBSTRATE TO FORM A RESISTANCE ELEMENT. ANY METAL WHICH CAN BE SUCCESSFULLY EVAPORATED OR SPUTTERED MAY BE USED, ALTHOUGH ONLY CERTAIN METALS WILL YIELD THE DESIRABLE CHARACTERISTICS OF GOOD TEMPERATURE COEFFICIENT, USEFUL RESISTIVITY, AND A HARD DURABLE CONDUCTIVE SURFACE. TYPICALLY, A MEMBER OF THE NICKEL-CHROMIUM ALLOY FAMILY IS USED TO DEPOSIT A LAYER 100 TO 2000 ANGSTROMS THICK.

AFTER DEPOSITION A VERY IMPORTANT PART OF THE ELEMENT PROCESSING IS THE STABILIZING HEAT TREATMENT. IT IS THROUGH PRECISE CONTROL OF THIS STAGE OF MANUFACTURE THAT THE COMPLEX STRAINS INSIDE THE FILMS ARE MINIMIZED. CAREFULLY CONTROLLED PROCESSING MAKES IT POSSIBLE TO ACHIEVE A TEMPERATURE COEFFICIENT APPROACHING WIREWOUND ELEMENTS. THE UNIFORMITY OF THE PROCESS YIELDS GOOD LINEARITY, EXTREMELY LOW RESOLUTION, AND VERY LOW NOISE BOTH AT REST AND DURING ADJUSTMENT.

To be continued


### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

e-mail: techweb@bourns.com • FAX: (909) 781-5273 (North America); +41- 41 7685510 (Europe) or the Bourns Web Site: www.bourns.com



Leading—— <sup>by</sup>DeSiUiT



# RESISTIVE ELEMENTS (Cont'd from previous issue)



SELECTION FACTORS. DUE TO THEIR SMALL SIZE AND CONSTRUCTION, METAL FILM ELEMENTS ARE PARTICULARLY LOW IN REACTIVE IMPEDANCE. THE HOUSING AND OTHER PACKAGING MATERIALS DETERMINE THE EFFECTIVE PARALLEL CAPACITANCE.

METAL FILM ELEMENTS ARE PRACTICAL ONLY FOR LOWER RESISTANCE VALUES. TOTAL RESISTANCES ARE AVAILABLE FROM 10 OHMS TO 20K OHMS. THESE ELEMENTS ARE LIMITED IN POWER RATING AND HAVE A RATHER SHORT OPERATIONAL LIFE. FOR THESE REASONS, METAL FILM ELEMENTS ARE USED PRIMARILY IN THOSE TRIMMING APPLICATIONS WHERE VERY LOW NOISE AND GOOD FREQUENCY CHARACTERISTICS ARE NEEDED.

|                               |                         | CARBON       |              | l           |                                | CONDUCTIVE    |
|-------------------------------|-------------------------|--------------|--------------|-------------|--------------------------------|---------------|
| CHARACTERISTICS               | WIREWOUND               | MOLDED       | DEPOSITED    | CERMET      | METAL FILM                     | PLASTIC       |
| RESISTANCE RANGE              | 10Q-100K                | 100Ω-10 MEG  | 100Ω-10 MEG  | 10Ω-5 MEG   | 50Ω-20K                        | 100Q-4 MEG    |
| TEMP. COEFF.                  | ±50 ppm/°C              | ±8000 ppm/°C | ±1000 ppm/°C | ±100 ppm/°C | ±50 ppm/°C                     | < ±200 ppm/*  |
| RESOLUTION                    | 0.1% to 1.0             |              | <del></del>  | < 0.05%     | < 0.05%                        | < 0.05%       |
| LINEARITY                     | 0.1%                    |              |              | 0.4%        | 0.2%                           | .05%          |
| NOISE - STATIC                | VERY LOW                | нівн         | MODERATE     | MODERATE    | LOW                            | LOW           |
| DYNAMIC                       | нен                     | MODERATE     | MODERATE     | MODERATE    | LOW                            | LOW           |
| ROTATIONAL LIFE               | 200,000 TO<br>1,000,000 | 5,000,000    | 1,000,000    | 500,000     | 100,000                        | 4,000,000 REV |
| FAILURE MODE                  | CATASTROPHIC            | NOISY        | NOISY        | NOISY       | RES. CHANGE<br>OR CATASTROPHIC | NOISY         |
| HIGH FREQUENCY<br>PERFORMANCE | POOR                    | 6000         | G000         | GOOD        | EXCELLENT                      | G00Đ          |

COMPARISON OF POPULAR ELEMENT TYPES

BULK METAL ELEMENTS. POTENTIOMETER ELEMENTS MAY ALSO BE MADE WITH BULK OR MASS METAL APPLIED ON A SUBSTRATE IN A MUCH THICKER LAYER THAN ACHIEVED BY VAPOR DEPOSITION. ONE APPROACH IS A PLATING TECHNIQUE FOR A SOLID AREA OF RESISTANCE METAL, FOLLOWED BY PRECISION PHOTOCHEMICAL ETCHING OF A ZIGZAG PATTERN TO INCREASE THE EFFECTIVE LENGTH OF THE ELEMENT.

IF THE METAL IS CAREFULLY CHOSEN TO MATCH PROPERLY WITH THE SUBSTRATE MATERIAL, THE EFFECTIVE TEMPERATURE CHARACTERISTICS OF THE TWO MATERIALS WILL COMPENSATE FOR EACH OTHER. THE RESULT IS AN ELEMENT WITH EXCEPTIONALLY LOW TEMPERATURE COEFFICIENTS.

SELECTION FACTORS. EXTREMELY LOW TO IS THE MOST SIGNIFICANT ADVANTAGE OF BULK METAL ELEMENTS. LESS THAN 10 PPM/°C IS POSSIBLE.

TOTAL RESISTANCES FROM 2 OHMS TO 20K OHMS ARE OBTAINABLE IN TRIMMER STYLES. FOR TOTAL RESISTANCES BELOW 100 OHMS A SOLID ELEMENT MAY BE USED AND THE RESOLUTION IS NEGLIGIBLE. LARGER RESISTANCE VALUES REQUIRE AN ETCHED PATTERN TO INCREASE THE EFFECTIVE LENGTH OF THE ELEMENT. THIS CAUSES RESOLUTION TO INCREASE.

CONTACT RESISTANCE FOR BULK METAL ELEMENTS IS VERY LOW BUT IF AN ETCHED PATTERN IS REQUIRED, ADJUSTMENT NOISE MAY BE MUCH HIGHER.

FREQUENCY RESPONSE IS EXCELLENT. THE DISTRIBUTED CAPACITANCE IS VERY LOW AND INDUCTANCE IS NEGLIGIBLE IN EITHER THE ETCHED OR UNETCHED PATTERN.

THE LIMITATIONS OF BULK METAL ELEMENTS ARE COST RESOLUTION IN THE HIGHER TR VALUES, AND MECHANICAL LIFE. THEIR MOST FREQUENT USE IS IN TRIMMER APPLICATIONS WHERE AMBIENT TEMPERATURE CHANGE IS A CRITICAL FACTOR.

To be continued

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

e-mail: techweb@bourns.com • FAX: (909) 781-5273 (North America); +41- 41 7685510 (Europe) or the Bourns Web Site: www.bourns.com



<sup>by</sup>Design




# RESISTIVE ELEMENTS (Cont'd from previous issue)



RESISTANCE TAPER IS THE OUTPUT CURVE OF RESISTANCE
MEASURED BETWEEN ONE END OF THE ELEMENT AND THE WIPER. IT IS
EXPRESSED AS A PERCENTAGE OF TOTAL RESISTANCE.

TO ACHIEVE A GIVEN RESISTANCE TAPER, MANUFACTURERS VARY THE GEOMETRY OF THE ELEMENT OR THE RESISTIVITY OF THE ELEMENT MATERIAL OR BOTH. THIS TECHNIQUE PRODUCES AN ELEMENT WHICH IS A LINEAR APPROXIMATION OF THE IDEAL THEORETICAL TAPER AND CONFORMS TO MILITARY AND COMMERCIAL SPECIFICATION TOLERANCES. THE FIGURE SHOWS THREE RESISTANCE TAPERS.



THREE RESISTANCE TAPERS TAKEN FROM MIL-R-94B

A CLOSER APPROXIMATION TO THE IDEAL TAPER IS POSSIBLE WITH CERTAIN CONSTRUCTION METHODS. AN EXAMPLE IS THE MOLDED CARBON ELEMENT WHICH ALLOWS TIGHT CONTROL OF THE ELEMENT CROSS SECTION. THIS CAN BE MADE TO CONFORM TO A GIVEN TAPER WITH A HIGH DEGREE OF ACCURACY.

SELECTION FACTORS. TAPER A IN THE FIGURE PROVIDES A RATE OF RESISTANCE CHANGE THAT IS DIRECTLY PROPORTIONAL TO SHAFT ROTATION. SUCH TAPERS ARE OFTEN USED FOR TONE CONTROLS. TAPER-C IS A LEFT HAND LOGARITHMIC CURVE WHICH PROVIDES A SMALL AMOUNT OF RESISTANCE AT THE BEGINNING OF SHAFT ROTATION AND A RAPID INCREASE AT THE END. THIS TAPER IS MOST OFTEN APPLIED AS A VOLUME (GAIN) CONTROL. TAPER F, A RIGHT HAND LOGARITHMIC, IS THE OPPOSITE OF TAPER C. THIS TAPER IS USED FOR CONTRAST CONTROLS IN OSCILLOSCOPES AND BIAS VOLTAGE ADJUSTMENT.

THE TOLERANCE WITHIN WHICH THE RESISTANCE TAPER MUST CONFORM TO THE NOMINAL (IDEAL) TAPER IS USUALLY EXPRESSED ONLY IN TERMS OF THE RESISTANCE AT 50% OF FULL ROTATION. MILITARY SPECIFICATIONS REQUIRE THAT THE RESISTANCE TAPER SHALL CONFORM IN GENERAL SHAPE TO THE NOMINAL CURVES AND THAT RESISTANCE VALUE AT 50% (+/-3%) OF ROTATION SHALL BE WITHIN +/-20% (10% FOR CERMET). FOR COMMERCIAL CONTROLS THIS PARTICULAR SPECIFICATION FIGURE CAN BE AS HIGH AS +/- 40% TOLERANCE AT 50% ROTATION.

#### Here's How to Participate:

Beginning in May 1998, EDN has been publishing excerpts from Bourns' popular "Trimmer Primer" series each month. To participate fully in the program, Bourns will send you a 3-ring binder to house your information, technical articles, white papers and more. To get started, order your binder or any materials you may not have received, contact us via:

e-mail: techweb@bourns.com • FAX: (909) 781-5273 (North America); +41- 41 7685510 (Europe) or the Bourns Web Site: www.bourns.com



Leading Design\*